

Name _____ ()	Class 4 _____
-------------------	---------------



ANGLICAN HIGH SCHOOL
PRELIMINARY EXAMINATION 2020
SECONDARY FOUR



MATHEMATICS

Paper 1

4048/01

Monday 14 September 2020

2 hours

Candidates answer on the Question Paper.

READ THESE INSTRUCTIONS FIRST

Write your name and index number on all the work you hand in.
 Write in dark blue or black pen on both sides of the paper.
 You may use an HB pencil for any diagrams or graphs.
 Do not use staples, paper clips, glue or correction fluid.

Answer **all** questions.

If working is needed for any question it must be shown with the answer.

Omission of essential working will result in loss of marks.

The use of an approved scientific calculator is expected, where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π .

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is **80**.

For Examiner's Use

Question	1	2	3	4	5	6	7	8	9	10	11	12
Marks												
Question	13	14	15	16	17	18	19	20	21	22	23	
Marks												

Table of Penalties		Question Number(s)	80
Presentation	-1		
Units	-1		
Significant Figures	-1	Parent's/ Guardian's Name/ Signature/ Date	

This question paper consists of 21 printed pages.

*Mathematical Formulae**Compound Interest*

$$\text{Total amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4\pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of triangle } ABC = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

Answer **all** the questions.

1 Calculate $\frac{1458}{23.4 - 3.699^2}$. Write your answer correct to

(a) 4 decimal places,

Answer [1]

(b) 4 significant figures.

Answer [1]

2 A water tank contains 2.47×10^7 drops of water and 7×10^9 micro-organisms.
Let L be the average number of micro-organisms per drop of water.
Find the value of L . Give your answer in standard form.

Answer [2]

- 3 (a) Of the 195 countries in the world, Ryan has visited 20. What percentage of the countries in the world has Ryan visited?

Answer % [1]

- (b) At a sale, all prices are reduced by 22.5%. The price of a set of waterproof headphones during the sale is \$139.50. Find its original price.

Answer \$ [1]

- 4 Show that $3^{3x+2} - 9^{\frac{3}{2}x} + (27)^{x+1}$ is divisible by 5 for all positive integer values.

Answer

[2]

- 5 (a) The highest common factor and lowest common multiple of three numbers are 12 and 2376 respectively. If two of the numbers are 108 and 72, find the smallest possible integer value of the third number.

Answer [2]

- (b) (i) Express 6468 as a product of its prime factors.

Answer [1]

- (ii) Find the smallest positive integer k , such that $\sqrt{6468k}$ is an integer.

Answer $k =$ [1]

- 6 (a) 6 men take 4 hours to dig a trench 6 m deep. How long will it take 10 men to dig a trench 5 m deep?

Answer hours [2]

- (b) It is given that y varies directly as the square root of x . Given that $y = 24$ for a particular value of x . Find the value of y when x is increased by 300%.

Answer $y =$ [2]

- 7 A map has a scale of 1: 30 000. The length of a rectangular park is 8 cm on the map.
- (a) Find the actual length of the park in km.

Answer km [1]

- (b) Given that the park covers an area of 4.5 km^2 . Find the breadth of the park on the map.

Answer cm [2]

- 8 (a) Convert 9 km/h into m/s .

Answer m/s [1]

- (b) A car uses 17.25 litres of fuel to travel a distance of 250 km. Calculate the distance the car can travel with 60 litres of fuel.

Answer km [1]

- 9 Express as a single fraction in its simplest form $\frac{1}{18x^2 - 2} + \frac{2}{3x - 1}$.

Answer [3]

- 10 (a) Factorise $4a^2b + 4a^2 - b - 1$ completely.

Answer [2]

- (b) Given that $f = 3g - 2x^3$, express x in terms of f and g .

Answer [2]

11 (a) Factorise the expression $6x^2 - 7x - 20$.

Answer [1]

(b) Hence, solve the equation $6(y-1)^2 - 7y + 7 = 20$.


Answer $y = \dots\dots\dots$ or $\dots\dots\dots$ [3]

12 (a) (i) Express $y = x^2 + 8x + 16$ in the form $y = (x - h)^2 + k$.

Answer [1]

(ii) Hence, sketch the graph of $y = x^2 + 8x + 16$ on the axes below. Indicate clearly the coordinates of the points where the graph crosses the axes and the turning point on the curve.

Answer



[2]


(b) State the equation of the line of symmetry for $y = x^2 + 4$.

Answer [1]

(c) State the coordinates of the turning point for $y = (x + 2)^2$.

Answer (.....,) [1]

13 (a) The sketch represents the graph of $y = kx^n$.



(i) Write down a possible integer value of n .


Answer $n = \dots\dots\dots$ [1]

(ii) State the range of values of k .

Answer $\dots\dots\dots$ [1]

(b) Sketch the graph of $y = -2^x$.

Answer



[1]

14 Given the simultaneous equations

$$2x - y = 11,$$

$$5y - 2px + 7 = 0.$$

- (a) Show that $x = \frac{24}{5-p}$.

Answer

DANYAL
EDUCATION

DANYAL
EDUCATION

DANYAL
EDUCATION

[2]

- (b) State the value of p if there is no solution for the pair of simultaneous equations.

Answer $p = \dots\dots\dots$ [1]

- (c) Find the value of y if $p = 1$.

DANYAL
EDUCATION

DANYAL
EDUCATION

Answer $y = \dots\dots\dots$ [1]

- 15 (a) Solve the inequality $\frac{1}{3}(4x-5) \leq 1 - \frac{1}{5}x$, and illustrate your solution on the number line given in the answer space.

Answer  [3]

- (b) Hence, list all possible whole numbers of the solution.

Answer [1]

- 16 An interior angle of a regular n -sided polygon is larger than its exterior angle by 50%. Find n .

Answer $n =$ [2]

17 $\xi = \{x : x \text{ is a positive integer less than } 14\}$

$A = \{x : x \text{ is a composite number}\}$

$B = \left\{x : \frac{x}{3} \text{ is an integer}\right\}$

$C = \{x : x \text{ is a multiple of } 6\}$

(a) List the elements in

(i) A' ,

Answer [1]

(ii) $A' \cap C$.


Answer [1]

(b) Draw a Venn diagram to represent the sets A and B .

Label all the elements in $A \cap B$.

Answer

ξ




[2]

(c) List all the proper subsets of set C .

Answer [1]

- 18 The figure below shows the distance-time graph of Anne's 10 km roller skating journey along East Coast Park.



Anne skates at an average speed of 0.3 km/min for the first 15 min. She takes a 5-min break and continues with an average speed of 0.5 km/min to the end point.

- (a) Find the distance travelled by Anne in the first 15 min.

Answer km [1]


- (b) Find the total time taken for Anne to complete the 10 km journey.

Answer minutes [1]

- (c) Three minutes later, Jane started to skate behind Anne. Find the average skating speed of Jane for them to complete the journey at the same time. Leave your answer correct to 2 decimal places.

Answer km/min [2]

19 In the figure, AB is parallel to CD . PQ and QR bisect $\angle APR$ and $\angle CRP$ respectively.



Given that $\angle DRP = 4x^\circ$,

(a) express angle QRP in terms of x ,


Answer [1]

(b) show that PQ is perpendicular to QR .

Answer

[3]


- 20 The map shows four cities on the north coast of Africa. The scale of the map is such that 1 cm on the plan represents 200 km on actual ground.



- (a) Using a compass and a ruler only, construct
- (i) the perpendicular bisector of LT . [1]
 - (ii) the angle bisector of angle RAT . [1]
- (b) An ancient ruin is located at the intersection of the two bisectors in (a).
- (i) Mark and label the position of the ancient ruin with the letter X . [1]
 - (ii) Measure and write down the actual distance, in kilometres, of the ancient ruin from A .

Answer km [1]

21 In the figure, $ABCD$ is a square, $\angle AFE = 45^\circ$ and the ratio of $AF : FB$ is $2 : 1$.



(a) Name a pair of congruent triangles and state the reasons for the congruency.

Answer [2]


(b) Find the ratio of the area of $\triangle CEF$ to the area of square $ABCD$.

Answer [2]

(c) Given that the area of $\triangle CEF$ is 16 cm^2 . Find the length of the side of the square $ABCD$.

Answer cm [2]

- 22 In the diagram, $BCDE$ is a straight line, $AB = 25$ cm, $BC = 7$ cm and $\angle ACD = 90^\circ$.



Given that $\tan \angle CAD = \frac{3}{4}$, find


- (a) the length of CD ,

Answer $CD = \dots\dots\dots$ cm [2]

- (b) $\cos \angle ADE$.

Answer $\cos \angle ADE = \dots\dots\dots$ [2]

23 The chart below shows the annual number of Americans who went for cancer screening and abortion.



(a) Use the graph to calculate the annual rate of decrease of cancer screening from 2006 and 2013.

Answer [1]

(b) Explain why this graph is misleading.

Answer


.....

..... [1]

- (c) Draw a new graph using the information from the current graph and the axes below.

Answer







Cancer Screening and Abortion Chart



[1]

END OF PAPER

1	(a) 150.0401 (correct to 4 d.p.) (b) 150.0 (correct to 4 s.f.)	2	2.83×10^2 (3 s.f.)
3	(a) 10.3% (to 3s.f) (b) \$180	4	$3^{3x+2} - 9^{\frac{3}{2}x} + (27)^{x+1} = 3^{3x}(35)$ <p>Since 35 is a multiple of 5, hence</p> $3^{3x+2} - 9^{\frac{3}{2}x} + \left(\frac{1}{27}\right)^{-x-1}$ <p>is divisible by 5 for all positive integer values.</p>
5	(a) Smallest possible of the third number is 132 (i.e. $2^2 \times 3 \times 11$) (b) (i) $6468 = 2^2 \times 3 \times 7^2 \times 11$ (ii) $3 \times 11 = 33$		
6	(a) 2 hours (b) 48		
7	(a) 2.4 km (b) 6.25cm		
8	(a) 2.5 m/s (b) 870 km (3 s.f.) or $869\frac{13}{23}$	9	$\frac{12x+5}{2(3x-1)(3x+1)}$
10	(a) $(b+1)(2a-1)(2a+1)$ (b) $x = \sqrt[3]{\frac{3g-f}{2}}$	11	(a) $(3x+4)(2x-5)$ (b) $y = -\frac{1}{3}$ or $y = \frac{7}{2}$

<p>12 (a) (i) $y = (x + 4)^2$ (ii)</p>  <p>(b) $x = 0$ (c) $(-2, 0)$</p>	<p>13 (a)(i) $n = -1$ or $n = -3$ or Any negative odd number (ii) $k < 0$ (b)</p> 
<p>14 (b) $p = 5$ (c) 1</p>	<p>15 (a) $x \leq 1\frac{17}{23}$</p>  <p>(b) 0, 1</p>
<p>16 $n = 5$</p>	<p>18 (a) 4.5 km (b) 31 min (c) 0.36 km/min (2 d.p.)</p>
<p>17 $\xi = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\}$ $A = \{4, 6, 8, 9, 10, 12\}$ $B = \{3, 6, 9, 12\}$ $C = \{6, 12\}$ (a)(i) $A' = \{1, 2, 3, 5, 7, 11, 13\}$ or 1, 2, 3, 5, 7, 11, 13 (ii) $A' \cap C = \{ \}$ or \emptyset or null/empty set or no element (b)</p>  <p>(c) $\{ \}, \{6\}, \{12\}$</p>	<p>19 (a) $\angle QRP = 90^\circ - 2x^\circ$ (supplementary angles) (b)</p>
<p>21 (a) $\triangle CDE \equiv \triangle CBF$ (SSS) (b) 4 : 9 (c) 6cm</p>	<p>20 (a)</p>  <p>(b) $AX = 4.5 \times 200 = 900$ km *please note that you may not get the answer as 900km because the size of paper is being shrunk from A4 size to A5 size.</p>
<p>22 (a) 18 cm (b) $-\frac{3}{5}$</p>	<p>23 (a) 133974.75 persons per year (b) The scale on the vertical axis is not defined.</p> 

Anglican High School
2020 Secondary 4 Preliminary Examination Mathematics Paper 2

Answer **All** the questions

- 1 (a) (i) Factorise $2px - 2p + 3qx - 3q$ completely.

Answer [2]


- (ii) Given that p and q are positive constants, find the value of x for which $2px - 2p + 3qx - 3q = 0$.

Answer $x =$ [1]

- (b) Simplify $(-3p^2q^{-1})^2(p^{-2}q^2)^3$, expressing your final answer in positive indices.

Answer [2]

2 In the diagram, $BC = 8$ cm and $AB = 10$ cm is the diameter of the semi-circle.



Find

(a) angle COA in radians,

(b) area of the shaded region.

Answerradians [2]

Answer cm^2 [3]

DANYAL
EDUCATION


DANYAL
EDUCATION

DANYAL
EDUCATION

DANYAL
EDUCATION

DANYAL
EDUCATION

- 3 In the diagram, not drawn to scale, point A lies on the y -axis and point B lies on the x -axis. The coordinates of C is $(5, 6)$.



- (a) Given that C lies on the line AB and that $5OA = 3OB$, show that the y -intercept of the line AB is 9.

Answer

- (b) Given that point D lies on the y -axis, state the coordinates of D such that triangle ACD is an isosceles triangle. [3]

- (c) *Answer* (..... ,) [1]
 Given further that $OCEA$ is a parallelogram, state the coordinates of the point E .

- (d) *Answer* (..... ,) [1]
 Find the area of the parallelogram, $OCEA$.

Answerunits² [2]

4 Mrs Tan bought x kg of rice for \$65 in December 2019. In February 2020, the price of rice increased and she received 6 kg less for the same amount of money spent.

(a) Write down an expression for the price of rice per kilogram, in terms of x ,

(i) in December 2019,

Answer \$..... [1]

(ii) in February 2020.

Answer \$..... [1]

(b) If the increase in price is \$2 per kilogram of rice, form an equation in x and show that it reduces to $x^2 - 6x - 195 = 0$.

Answer

DANYAL
EDUCATION

DANYAL
EDUCATION

DANYAL
EDUCATION

[3]

(c) Solve the equation, giving your answers correct to 2 decimal places.

DANYAL
EDUCATION


DANYAL
EDUCATION

Answer $x =$or [2]

(d) Hence, find the price of rice per kilogram in February 2020, leaving your answer to the nearest cent.

Answer [1]

- 5 In the diagram, $PQRS$ are four points on level ground, and Q is due north of P .



Given that angle $PQR = 40^\circ$, angle $PRQ = 55^\circ$, $PR = 8$ km, $RS = 12$ km and that QRS is a straight line,

- (a) show that the distance PS is 17.836 km.

Answer

- (b) Using the result in (a), find,
 - (i) the bearing of P from S ,

DANYAL
EDUCATION

DANYAL
EDUCATION

Answer [3]

- (ii) the shortest distance from R to PS .

DANYAL
EDUCATION

Answerkm [2]

- (c) A vertical tower stands at point R . Evan, walking along PS and stops at a point where the greatest angle of elevation of the top of the tower, T , is 3° . Find the height of the tower.

DANYAL
EDUCATION

DANYAL
EDUCATION

Answerkm [2]

- 6 (a) The table below shows the amount of flour, sugar and number of eggs needed for each type of pastry sold in a cafe.

	Flour (g)	Sugar (g)	Number of eggs
Cookie	90	50	1.5
Cake	220	200	8
Pancake	60	80	2

The above information is represented by a matrix $\mathbf{D} = \begin{pmatrix} 90 & 50 & 1.5 \\ 220 & 200 & 8 \\ 60 & 80 & 2 \end{pmatrix}$.

Each kg of flour and sugar costs \$1.50 and \$1.80 respectively. A dozen eggs costs \$2.70. Complete the cost in \$ for every gram of flour and sugar as well as the cost in \$ for each egg in the table below :

Flour(\$/g)	Sugar(\$/g)	1 Egg(\$)

[2]

- (b) Write down a 3×1 matrix \mathbf{E} such that its elements represent the unit cost of each ingredient needed for the various pastries.

Answer [1]


(c) Calculate **DE** and state what the elements of **DE** represent.

Answer [2]

(d) The cafe prepared 70 cookies, 30 cakes and 120 pancakes on a particular day. Using matrix multiplication, calculate the total cost of the basic ingredients for all the pastries prepared on this day.

Answer \$..... [2]

- 7 (a) In the diagram, AD is the diameter of the circle $ABDF$ with centre O . Given BD and AF produced meet at E , AB and FD produced meet at C , $\angle FED = 33^\circ$ and $\angle DAB = 16^\circ$.



Calculate, stating your reasons clearly,

- (i) $\angle ADB$,

Answer [2]


- (ii) $\angle AFB$,

Answer [1]

- (iii) $\angle DAF$.

Answer [2]

- (b) Given $ABCD$ is a trapezium with $AD = 18$ cm, $BC = 8$ cm and $AB = DC$. A circle is inscribed in the trapezium as shown.



- (i) Show that the length of AB is 13 cm, stating your reason(s) clearly.

Answer

DANYAL
EDUCATION

DANYAL
EDUCATION

DANYAL
EDUCATION

[2]


- (ii) Calculate the radius of the circle.

DANYAL
EDUCATION

DANYAL
EDUCATION

Answercm [2]

8 (a) A solid cone is cut into a smaller cone and a frustum as shown in the diagram.



The height of the frustum is 8mm. The area of the two circular bases are 9 mm^2 and 25 mm^2 respectively.

(i) Show that the height of the smaller cone is 12 mm.

Answer

(ii) Find the volume of the frustum.

[2]

Answer mm^3 [3]

(iii) Find the curved surface area of the smaller cone.


DANYAL
EDUCATION

DANYAL
EDUCATION

Answermm² [3]

(b) In the figure, $ADCB$ is a major segment of a circle, centre O and radius 7 cm. $BD = 12$ cm. AC is perpendicular to the line BOD . Find the perimeter of the major segment.

DANYAL
EDUCATION



DANYAL
EDUCATION

DANYAL
EDUCATION

Answercm [4]

- 9 Mr Tan is looking to purchase a new car to drive to and from work on weekdays and for leisure on weekends. He estimates the total distance travelled is about 1500 km per month. The average cost of petrol is \$2.20 per litre. To buy a new car, he must pay a down payment of 30% of the selling price of the car before he can take a car loan for the remaining amount from a bank. He has to pay back the loan by monthly instalment. A 5-year car loan simple interest rate offered by most banks is 2.28% per annum. Mr Tan shortlisted 3 cars with all the relevant cost as shown in the table.

	Car A	Car B	Car C
Selling Price	\$87 999	\$108 999	\$107 888
Fuel Consumption(km per litre)	17.2	14.9	17.8
Car Insurance per year	\$ 1 200	\$ 1500	\$ 1 500
Engine Capacity(in cubic cm)	1 598	1 499	1 197
Monthly Car Maintenance	\$200	\$200	\$200
Monthly Car Park charges	\$150	\$150	\$150

He also finds out that the annual road tax of the car is determined by the engine capacity of the car is as follows:

$$\text{Annual Road Tax} = [\$500 + 0.75(\text{Engine Capacity minus } 1000)] \times 0.782$$

- (a) After reviewing the information, Mr Tan decides to buy Car A.
 (i) calculate the down payment.

Answer \$..... [1]

- (ii) calculate the total **monthly** expenditure including monthly instalment payment and all the other monthly costs.

Answer \$..... [7]

- (b) An alternative to buying a car is to rent an electric car that is easily accessible from his house and workplace. Subscription per month is \$15 and it costs 33 cents per minute of use. Mr Tan estimates that the average daily travel time to and from work is about 1 hour and 20 minutes. On weekends, he needs to use the car for about 5 hours for leisure activities. Calculate his monthly expenditure to rent a car.

Answer \$..... [2]

- (c) Do you think Mr Tan should buy or rent a car? Justify your answer.


Answer.....
[1]

- 10 (a) Team Alpha and Delta are competing in the badminton finals. Each game will only result in a win or a loss. The competition ends when a team wins 2 games out of 3.

The probability of Alpha team winning in a game is $\frac{5}{8}$.

- (i) Draw a tree diagram to show all the possible outcomes for Alpha team.

Answer



[2]

- (ii) Calculate the probability, expressing your answers in fraction, that Alpha team wins the competition.

Answer [2]

- 10 (b) The frequency table shows the weight in kg of 80 persons who join an exercise club.

Weight	$30 < x \leq 40$	$40 < x \leq 50$	$50 < x \leq 60$	$60 < x \leq 70$	$70 < x \leq 80$
Frequency	8	17	34	18	3

- (i) Find the mean weight.

Answerkg [1]

- (ii) Find the standard deviation.

Answerkg [1]

- (iii) After 6 months of exercising, the mean and standard deviation of these 80 persons are 50kg and 12.2 kg respectively. Give 2 comments on the effect of exercise.

1


.....

.....

2

.....

- 10 (c) The cumulative frequency graph below shows the end-of-year Mathematics examination marks of a group of 200 students. [2]



From the graph, find the

- (i) number of students who scored 28 marks or less,
Answer [1]

- (ii) number of students who scored more than 76 marks,
Answer [1]

- (iii) the upper quartile,
Answer [1]

- (iv) minimum mark obtained by the top 2.5% of the cohort,

Answer [1]

- (v) probability that one student scored 28 marks or less and the other student scored more than 76 marks when two students are chosen at random.

Answer[2]

- 11 The variables x and y are connected by the equation

$$y = \frac{5x}{4} + \frac{1}{x^2}.$$

The table below shows some values of x and the corresponding values of y , correct to 1 decimal place.

x	0.5	1	1.5	2	3	4	5
y	4.6	2.3	2.3	2.8	3.9	5.1	p

- (a) Calculate the value of p .

Answer $p =$ [1]

- (b) Using a scale of 2 cm to represent 1 unit on each axis, draw a horizontal x -axis for $0 \leq x \leq 5$ and a vertical y -axis for $0 \leq y \leq 8$. On your axes, plot the points given in the table and join them with a smooth curve. [3]

- (c) From the graph, find the values of x for which $\frac{5x}{4} + \frac{1}{x^2} - 3 = 0$.

Answer $x =$ or..... [2]

- (d) By drawing a tangent, find the gradient of the curve at the point (1, 2.3).

Answer [2]

- (e) (i) On the same axes, draw the graph of $y = \frac{1}{2}x + 2$. [2]



- (ii) Write down the x -coordinates of the points where the two graphs intersect.

Answer $x =$ or..... [1]

- (iii) Find the equation in the form $3x^3 + ax^2 + bx + c = 0$, which is satisfied by the values of x found in part (e)(ii).

Answer [1]

Answer key for paper 2


1	(a)(i) $(2p+3q)(x-1)$ (ii) $x=1$ (b) $\frac{9q^4}{p^2}$	2	(a) 1.29 radians (b) 4.09cm^2
3	(b) A(0, 9). D(0, 3) (c) E(5, 15) (d) 45 unit^2	4	(a) (i) $\$ \frac{65}{x}$ (ii) $\$ \frac{65}{x-6}$
5	(b)(i) 061.6° (ii) 4.41 km (c) 0.231 km.		(c) $x = 17.28$ or $x = -11.28$ (d) \$5.76 (to nearest cent)
7	(a) (i) 74° (ii) 74° (iii) 41° (b) (i) 13 (Tangent from ext. point) (ii) 6 cm	6	(a) 0.0015, 0.0018, 0.225(egg) (b) $E = \begin{pmatrix} 0.0015 \\ 0.0018 \\ 0.225 \end{pmatrix}$ (c) $\begin{pmatrix} 0.5625 \\ 2.49 \\ 0.684 \end{pmatrix}$
8	(a) (ii) $130\frac{2}{3}\text{mm}^2$ or $131\text{mm}^2(3sf)$ (iii) 64.4mm^2 (b) $42.9\text{cm}(3sf)$		(c) The elements in DE represents the cost price (in dollars) needed for the making of one cookie, one cake and one pancake respectively (d) \$196.16
9	(a)(i) \$26,399.70 (ii) \$1847.36 (b) \$924 (Accept answers from \$939 to \$1064.40 as some students may assume up to 23 working days and 4 weekends or 21 working days and 5 weekends) (c) Acceptable responses such as 1. Renting is better as there is no need to pay down payment and monthly instalment. 2. Although it is more expensive to buy a car, it is very convenient. 3. Any other reasonable justification.		
10 (a)	(a)(i)  (ii) $\frac{175}{256}$ (b) (i) 53.875 kg or $\frac{431}{8}\text{ kg}$ or $53\frac{7}{8}\text{ kg}$ (ii) 9.87 kg (iii) (1) The mean weight is lower. Jogging has helped to reduce weight. (2) Standard deviation is higher implies that weight loss after exercising is more spread out. (accept "not consistent") (c) (i) 20 students (ii) 15 students (iii) 56 marks (iv) 90 marks (v) $\frac{3}{199}$		
11	(a) $p \approx 6.3$  (b) (c) From the graph, when $y = 3$, $x = 0.7$ or $x = 2.2$ (Accept ± 0.20) (d) From the tangent at (1, 2.3), the gradient is -0.75 (± 0.2) (e) (i) Draw graph of $y = \frac{1}{2}x + 2$ (ii) The x coordinates are 0.9 and 2.3 (iii) $3x^3 - 8x^2 + 4 = 0$		



Anglican High School
Preliminary Examination 2020
Secondary Four Mathematics Paper 1 (4048/01)


Marking Scheme

Qn		Solution	Marks	Remarks
1	(a)	$\frac{1458}{23.4 - 3.699^2} = 150.0401$ (correct to 4 d.p.)	B1	
	(b)	$\frac{1458}{23.4 - 3.699^2} = 150.0$ (correct to 4 s.f.)	B1	
2		Greatest possible value of $L = \frac{7 \times 10^9}{2.47 \times 10^7}$ $= 2.83 \times 10^2$ (3 s.f.)	M1 A1	
3	(a)	Percentage of countries visited by Ryan = $\frac{20}{195} \times 100\%$ $= 10.3\%$ (to 3s.f)	B1	
	(b)	Original price = $\frac{100}{77.5} \times \$139.50 = \$180$	B1	
4		$3^{3x+2} - 9^{\frac{3}{2}x} + (27)^{x+1} = 3^{3x+2} - 3^{3x} + 3^{3x+3}$ $= 3^{3x}(3^2 - 1 + 3^3)$ $= 3^{3x}(35)$ Since 35 is a multiple of 5, hence $3^{3x+2} - 9^{\frac{3}{2}x} + \left(\frac{1}{27}\right)^{-x-1}$ is divisible by 5 for all positive integer values.	M1 A1	M1 – express all in index notation with base 3 Any multiple of 5
5	(a)	Prime factorization of the numbers HCF and LCM are $12 = 2^2 \times 3$ $2376 = 2^3 \times 3^3 \times 11$ Prime factorization of the numbers are $72 = 2^3 \times 3^2$ $108 = 2^2 \times 3^3$ Let x be the third number. Smallest possible value of $x = 2^2 \times 3 \times 11 = 132$	M1 A1	M1 – prime factorisation
	(b)(i)	$6468 = 2^2 \times 3 \times 7^2 \times 11$	B1	
	(b)(ii)	$k = 3 \times 11 = 33$	B1	

6	(a)	1 man will take 24 hours to dig 6m trench. 10 men will take 2.4hours to dig 6m trench. Time taken to dig a 5m trench = $2.4 \times \frac{5}{6}$ hours = 2 hours	M1 A1	Accept procedures
	(b)	$y = k\sqrt{x}$ When $x = a, y = 24$ $24 = k\sqrt{a}$ $k = \frac{24}{\sqrt{a}}$ When $x = 4a,$ $y = \left(\frac{24}{\sqrt{a}}\right)\sqrt{4a}$ $y = 48$	M1 A1	No mark if k expressed in terms of x
7	(a)	1 cm on map represents 0.3 km on actual ground. Actual length of park = 8×0.3 km = 2.4 km	B1	
	(b)	Area scale of map = $1 \text{ cm}^2 : 0.09 \text{ km}^2$ Area of park on map = $\frac{4.5}{0.09} = 50 \text{ cm}^2$ Breadth of park on the map = $\frac{50}{8} = 6.25 \text{ cm}$	M1 A1	
8	(a)	$\frac{9 \text{ km}}{1 \text{ h}} = \frac{9000 \text{ m}}{3600 \text{ s}} = 2.5 \text{ m/s}$	B1	
	(b)	Distance travelled with 60 litres of fuel = $\frac{250}{17.25} \times 60 = 869.6 \approx 870 \text{ km (3 s.f.)}$	B1	Accept $869\frac{13}{23}$
9		$\frac{1}{18x^2 - 2} + \frac{2}{3x - 1}$ $= \frac{1}{2(9x^2 - 1)} + \frac{2}{3x - 1}$ $= \frac{1}{2(3x - 1)(3x + 1)} + \frac{2}{3x - 1}$ $= \frac{1 + 2(2)(3x + 1)}{2(3x - 1)(3x + 1)}$ $= \frac{1 + 12x + 4}{2(3x - 1)(3x + 1)}$ $= \frac{12x + 5}{2(3x - 1)(3x + 1)}$	M1 M1 A1	

10	(a)	$4a^2b + 4a^2 - b - 1$ $= 4a^2(b+1) - (b+1)$ $= (b+1)(4a^2 - 1)$ $= (b+1)(2a-1)(2a+1)$	M1	Grouping
			A1	Special product
	(b)	$f = 3g - 2x^3$ $2x^3 = 3g - f$ $x^3 = \frac{3g - f}{2}$ $x = \sqrt[3]{\frac{3g - f}{2}}$	M1	
			A1	
11	(a)	$6x^2 - 7x - 20 = (3x+4)(2x-5)$	B1	
	(b)	$6(y-1)^2 - 7y + 7 = 20$ $6(y-1)^2 - 7(y-1) - 20 = 0$ $[3(y-1)+4][2(y-1)-5] = 0$ $(3y+1)(2y-7) = 0$ $y = -\frac{1}{3} \text{ or } y = \frac{7}{2}$	M1	Deduct 1 mark for skipping step
			M1	
			A1	
12	(a)(i)	$y = x^2 + 8x + 16$ $y = (x+4)^2 - 4^2 + 16$ $y = (x+4)^2$	B1	
	(a)(ii)		G2	G1 for correct shape G1 for both correct coordinates or label on axes
	(b)	$x = 0$	B1	
	(c)	$(-2, 0)$	B1	

13	(a)(i)	$n = -1$ or $n = -3$	B1	Any negative odd number
	(a)(ii)	$k < 0$	B1	
	(b)		G1	Curve must pass through $(0, -1)$
14	(a)	$2x - y = 11$ Eq (1) $5y - 2px + 7 = 0$ Eq (2) From Eq (1), $y = 2x - 11$ Eq (3) Substitute Eq (3) into Eq (2), $5(2x - 11) - 2px + 7 = 0$ $10x - 55 - 2px + 7 = 0$ $2x(5 - p) = 48$ $x = \frac{24}{5 - p}$	M1 A1	M1 for correct substitution
	(b)	$p = 5$	B1	
	(c)	When $p = 5$, $x = \frac{24}{4} = 6$ $y = 2(6) - 11 = 1$	B1	
15	(a)	$\frac{1}{3}(4x - 5) \leq 1 - \frac{1}{5}x$ $5(4x - 5) \leq 15 - 3x$ $20x + 3x \leq 15 + 25$ $23x \leq 40$ $x \leq 1\frac{17}{23}$ 	M1 A1 B1	
	(b)	0, 1	B1	

16	<p>Let x° be the exterior angle. Interior angle of the polygon = $1.5x^\circ$ $x^\circ + 1.5x^\circ = 180^\circ$ $2.5x^\circ = 180^\circ$ $x^\circ = 72^\circ$ Hence, $n = \frac{360^\circ}{72^\circ}$ $n = 5$</p>	M1 A1	
17	$\xi = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\}$ $A = \{4, 6, 8, 9, 10, 12\}$ $B = \{3, 6, 9, 12\}$ $C = \{6, 12\}$		
(a)(i)	$A' = \{1, 2, 3, 5, 7, 11, 13\}$ or 1, 2, 3, 5, 7, 11, 13	B1	
(a)(ii)	$A' \cap C = \{ \}$ or \emptyset or null/empty set or no element	B1	
(b)		B1 B1	B1 for correct Venn Diagram B1 for correct elements in $A \cap B$
(c)	$\{ \}, \{6\}, \{12\}$	B1	
18	<p>(a) Distance travelled by Anne in 15 min = $0.3 \times 15 = 4.5$ km</p> <p>(b) Time taken from rest to the end of journey $= \frac{10 - 4.5}{0.5} = 11$ min Total time taken = $15 + 5 + 11 = 31$ min</p> <p>(c) Jane needs to complete the 10 km in $(31 - 3) = 28$ min Average speed of Jane is $\frac{10}{28} \approx 0.36$ km/min (2 d.p.)</p>	B1 B1 M1 A1	

19	(a)	$\angle QRP = \frac{180^\circ - 4x^\circ}{2} = 90^\circ - 2x^\circ$ (supplementary angles)	B1	
	(b)	$\angle APR = 4x^\circ$ (alternate angles, $AB \parallel CD$) Since QP bisects $\angle APR$, $\angle QPR = 2x^\circ$ $\angle PQR + \angle QRP + \angle QPR = 180^\circ$ (sum of angles in triangle) $\angle PQR + 90^\circ - 2x^\circ + 2x^\circ = 180^\circ$ $\angle PQR = 180^\circ - 90^\circ$ $\therefore \angle PQR = 90^\circ$ Hence, PQ is perpendicular to QR .(shown)	M1 M1 A1	Deduct 1 for presentation without reason
20	(a)(i)		G1	
	(a)(ii)		G1	
	(b)(i)		G1	
	(b)(ii)	$AX = 4.5 \times 200 = 900$ km	B1	Accept ± 20 km
21	(a)	Given $CD = CB$. Given $\angle AFE = 45^\circ$ and $\angle FAE = 90^\circ$, $\angle AEF = 45^\circ$. $\therefore \triangle FAE$ is an isosceles right-angled triangle. Hence, $AF = AE$ and $FB = ED$. By Pythagoras' Theorem, $FC = EC$. $\triangle CDE \equiv \triangle CBF$ (SSS)	B1 B1	B1 for valid proof and reasons B1 for correct pair and congruency condition, accept other valid solution
	(b)	Let sides of square be $3a$. Area of square = $9a^2$ Area of $\triangle CEF$ = $= 9a^2 - \left(\frac{1}{2} \times 3a \times a\right) - \left(\frac{1}{2} \times 3a \times a\right) - \left(\frac{1}{2} \times 2a \times 2a\right)$ $= 9a^2 - \frac{3}{2}a^2 - \frac{3}{2}a^2 - 2a^2$ $= 4a^2$ Area of $\triangle CEF$: Area of square = $4a^2 : 9a^2 = 4 : 9$	M1 A1	Accept other solutions.

	(c)	$\text{Area of square} = \frac{16 \text{ cm}^2}{4} \times 9 = 36 \text{ cm}^2$ $\text{Length of side of square} = \sqrt{36} = 6 \text{ cm}$	M1 A1	
22	(a)	$AC = \sqrt{25^2 - 7^2} = 24 \text{ cm}$ <p>Given that $\tan \angle CAD = \frac{3}{4}$,</p> $\frac{CD}{24} = \frac{3}{4}$ $CD = 18 \text{ cm}$	M1 A1	
	(b)	$AD = \sqrt{24^2 + 18^2} = 30 \text{ cm}$ $\cos \angle ADE = -\cos \angle ADC$ $= -\frac{18}{30}$ $= -\frac{3}{5}$	M1 A1	
23	(a)	$\text{Rate of decrease of cancer screening} = \frac{2007371 - 935573}{8}$ $= 133974.75 \text{ persons per year}$	B1	
	(b)	The scale on the vertical axis is not defined.	B1	
	(c)	<p style="text-align: center;">Cancer Screening and Abortion Ch</p> <p>Thousands</p> <p>2500</p> <p>2000</p> <p>1500</p> <p>1000</p> <p>0</p> <p>2005 2006 2007 2008 2009 2010 2011 2012 2013</p> <p style="text-align: center;">Cancer Screening</p> <p style="text-align: center;">Abortion</p>	G1	

Anglican High School
 Preliminary Examination 2020
 Secondary Four Mathematics Paper 2 (4048/2)

1 (a) (i) Factorise $2px - 2p + 3qx - 3q$ completely. [2]

$2px - 2p + 3qx - 3q$ $= 2p(x-1) + 3q(x-1)$ $= (2p+3q)(x-1)$	M1 A1 Grouping ($2p+3q$)
--	-------------------------------


(ii) Given that p and q are positive constants, find the value of x for which $2px - 2p + 3qx - 3q = 0$. [1]

$(2p+3q)(x-1) = 0$ $(x-1) = 0 \text{ or } (2p+3q) = 0 \text{ [optional in this case.]}$ $x = 1$	B1
---	----

(b) Simplify $(-3p^2q^{-1})^2 (p^{-2}q^2)^3$, expressing your final answer in positive indices. [2]

$(-3p^2q^{-1})^2 (p^{-2}q^2)^3$ $= 9p^4q^{-2}p^{-6}q^6$ $= 9p^{-2}q^4$ $= \frac{9q^4}{p^2}$	M[1] (correct use of $(ab)^n = a^n b^n$) A[1]
---	---

2 In the diagram, $BC = 8$ cm and $AB = 10$ cm is the diameter of the semi-circle.




Find,

(a) $\angle COA$ in radians. [2]

(b) Area of the shaded region. [3]

(a)	$\cos \angle ABC = \frac{8}{10}$ $\angle ABC = 0.64350$ <p>Using ext $\angle =$ sum of int \angle of Δ</p> $\angle COA = 2 \times \angle ABC$ $= 1.2870$ $= 1.29 \text{ radians}$ <p>Alternatively,</p> $\cos \angle CAB = \frac{6}{10}$ $\angle CAB = 0.92730$ $\angle COA = \pi - 0.92730 - 0.92730$ $= 1.2870$ $= 1.29 \text{ radians}$	M1 A1
(b)	<p>Area of shaded region = Area of sector COA - Area of triangle COA</p> $= \frac{1}{2} \times 5^2 \times 1.2870 - \frac{1}{2} \times 5^2 \times \sin 1.2870$ $= 16.088 - 12.000$ $= 4.088$ $= 4.09 \text{ cm}^2$	M1, M1 for each correct term. A1

- 3 In the diagram, not drawn to scale, point A lies on the y -axis and point B lies on the x -axis. The coordinates of C is $(5, 6)$.



- (a) Given that point C lies on the line AB and that $5OA = 3OB$, show that the y -intercept of the line AB is 9. [3]
- (b) Given that point D lies on the y -axis, state the coordinate of D such that triangle ACD forms an isosceles triangle, [1]
- (c) Given further that $OCEA$ is a parallelogram, find the coordinates of the point E . [1]
- (d) Find the area of the parallelogram, $OCEA$. [2]

(a)	$\frac{OA}{OC} = \frac{3}{5}$ <p>Hence gradient of $AB = -\frac{3}{5}$</p> <p>Equation of AB:</p> $y - 6 = -\frac{3}{5}(x - 5)$ $y = -\frac{3}{5}x + 9$ <p>Since the y-intercept of $AB = 9$, therefore the line AB cuts the y-axis at 9. (shown)</p>	<p>M[1] (deducing gradient)</p> <p>M[1] (correct equation)</p> <p>A[1]</p>
(b)	<p>Coordinates of $A = (0, 9)$.</p> <p>Coordinates of $D = (0, 3)$</p>	B[1]
(c)	<p>Distance of $OA = 9$ units</p> <p>$E = (5, 15)$</p>	B[1]
(d)	<p>Area of parallelogram $= 9 \times 5$</p> <p>$= 45 \text{ unit}^2$</p>	<p>M[1]</p> <p>A[1]</p>

4 Mrs Tan bought x kg of rice for \$65 in December 2019. In February 2020, the price of rice increased and she received 6 kg less for the same amount of money spent.

(a) Write down an expression for the price of rice per kilogram, in terms of x ,

(i) in December 2019, [1]

(ii) in February 2020. [1]

(b) If the increase in price is \$2 per kilogram of rice, form an equation in x and show that it reduces to $x^2 - 6x - 195 = 0$. [3]


(c) Solve the equation, giving your answers correct to 2 decimal places. [2]

(d) Hence, find the price of rice per kilogram in February 2020, leaving your answer to the nearest cent. [1]

4(a)	(i) Price per kg in Dec 2019 $= \$\frac{65}{x}$	B1	
	(ii) Price per kg in Jan 2020 $= \$\frac{65}{x-6}$	B1	

4(b)	$\frac{65}{x-6} - \frac{65}{x} = 2$ $65x - 65(x-6) = 2x(x-6)$ $65x - 65x + 390 = 2x^2 - 12x$ $2x^2 - 12x - 390 = 0$ $x^2 - 6x - 195 = 0$	M1 M1 A1	
4(c)	$x^2 - 6x - 195 = 0$ $x = \frac{-(-6) \pm \sqrt{(-6)^2 - 4(1)(-195)}}{2(1)}$ $x = \frac{6 \pm \sqrt{816}}{2}$ $x = 17.28 \text{ or } x = -11.28$	M1 A1	M1- show substitution into quadratic formula A1 for both correct answers
4(d)	Price per kg in Jan 2020 = \$ $\frac{65}{17.28 - 6} = \$5.76 \text{ (to nearest cent)}$	B1	

- 5 In the diagram, $PQRS$ are four points on level ground, and Q is due north of P .



Given that angle $PQR = 40^\circ$, angle $PRQ = 55^\circ$, $PR = 8$ km, $RS = 12$ km and that QRS is a straight line,

- (a) show that the distance PS , corrected to 5 significant figures, is 17.836 km, [2]
 (b) using the result in (a), find,
 (i) the bearing of P from S . [3]
 (ii) the shortest distance from R to PS . [2]

- (c) A vertical tower stands at point R .
Evan, walking along PS and stops at a point where the greatest angle of elevation of the top of the tower, T , is 3° . Find the height of the tower. [2]

(a)	<p>angle $SRP = 180^\circ - 55^\circ$ (angles on a straight line) $= 125^\circ$</p> $PS^2 = 12^2 + 8^2 - 2(12)(8)\cos 125^\circ$ $= 318.127$ $PS = 17.836 \text{ km (to 5 sf) (shown)}$	<p>M1 if 125° is shown</p> <p>M1 (correct angle, formula)</p> <p>M1 or with implicit square root</p>
(b)(i) (Mtd 1)	<p>angle $QPR = 180^\circ - 40^\circ - 55^\circ$ (angles in a triangle) $= 85^\circ$</p> $\frac{\sin RPS}{12} = \frac{\sin 125}{17.836}$ <p>angle $RPS = 33.444$ (to 3 dp)</p> <p>angle $NSP = 180^\circ - 85^\circ - 33.444^\circ$ (interior angles) $= 61.6^\circ$ (to 1 dp)</p> <p>Bearing of P from $S = 061.6^\circ$</p>	<p>M[1]</p> <p>M[1]</p> <p>A[1]</p>
(b)(i) (Mtd 2)	$\frac{\sin RSP}{8} = \frac{\sin 125}{17.836}$ <p>angle $RSP = 21.556$ (to 3 dp)</p> <p>angle $QSN = 40^\circ$ (alternate angles) $= 40^\circ$</p> <p>angle $NSP = 40^\circ + 21.556^\circ$ $= 61.6^\circ$ (to 1 dp)</p> <p>Bearing of P from $S = 061.6^\circ$</p>	<p>M[1]</p> <p>M[1]</p> <p>A[1]</p>
(b)(ii) (Mtd 1)	<p>Let the shortest distance be d km.</p> $\text{Area of } RPS = \frac{1}{2}(8)(17.836)\sin 33.444^\circ$ $\frac{1}{2}(17.836)(d) = \frac{1}{2}(8)(17.836)\sin 33.444^\circ$ $d = 4.4090 \text{ (to 5 sf)}$ $= 4.41 \text{ (to 3 sf)}$ <p>Hence the shortest distance is 4.41 km.</p>	<p>M[1]</p> <p>A[1]</p>

(b)(ii) (Mtd 2)	Let the shortest distance be d km. $\text{Area of } RPS = \frac{1}{2}(8)(12)\sin 125^\circ$ $\frac{1}{2}(17.836)(d) = \frac{1}{2}(8)(12)\sin 125^\circ$ $d = 4.4090 \text{ (to 5 sf)}$ $= 4.41 \text{ (to 3 sf)}$ Hence the shortest distance is 4.41 km.	M[1] A[1]
(c)	Let the height of the tower be h km. $\tan 3^\circ = \frac{h}{4.4179}$ $h = 0.23153 \text{ (to 5 sf)}$ $h = 0.231 \text{ (to 3 sf)}$ The height of the tower is 0.231 km.	M[1] for correct equation A[1]

- 6 (a) The table below shows the amount of flour, sugar and number of eggs needed for each type of pastry sold in a cafe.

	Flour (g)	Sugar (g)	Number of eggs
Cookie	90	50	1.5
Cake	220	200	8
Pancake	60	80	2

The above information is represented by a matrix $\mathbf{D} = \begin{pmatrix} 90 & 50 & 1.5 \\ 220 & 200 & 8 \\ 60 & 80 & 2 \end{pmatrix}$.

Each kg of flour and sugar costs \$1.50 and \$1.80 respectively. A dozen eggs costs \$2.70. Complete the cost in \$ for every gram of flour and sugar as well as the cost in \$ for each egg in the table below:

Flour(\$/g)	Sugar(\$/g)	1 Egg(\$)

[2]

- (b) Write down a 3×1 matrix \mathbf{E} such that its elements represent the unit cost of each ingredients needed for the various pastries.


[1]

(c) Calculate **DE** and state what the elements of **DE** represents. [2]

(d) The cafe prepared 70 cookies, 30 cakes and 120 pancakes on a particular day. Using matrix multiplication, calculate the total cost of the basic ingredients for all the pastries prepared on this day. [2]


Q6a)	0.0015, 0.0018, 0.225(egg)	B1 when both ans for flour and sugar are correct. B1 for egg.
b)	$\mathbf{E} = \begin{pmatrix} 0.0015 \\ 0.0018 \\ 0.225 \end{pmatrix}$	B1
c)	$\mathbf{DE} = \begin{pmatrix} 90 & 50 & 1.5 \\ 220 & 200 & 8 \\ 60 & 80 & 2 \end{pmatrix} \begin{pmatrix} 0.0015 \\ 0.0018 \\ 0.225 \end{pmatrix}$ $= \begin{pmatrix} 0.5625 \\ 2.49 \\ 0.684 \end{pmatrix}$ <p>The elements in DE represents the cost price (in dollars) needed for the making of one cookie, one cake and one pancake respectively.</p>	B1 B1
d)	$\text{Total cost} = (70 \ 30 \ 120) \begin{pmatrix} 0.5625 \\ 2.49 \\ 0.684 \end{pmatrix}$ $= (196.155)$ <p>The total cost is \$196.16</p>	M1 A1

- 7 (a) In the diagram, AD is the diameter of the circle $ABDF$ with centre O . Given BD and AF produced meet at E , AB and FD produced meet at C , $\angle FED = 33^\circ$ and $\angle DAB = 16^\circ$.



Calculate, stating your reasons clearly,


- (i) $\angle ADB$ [2]
- (ii) $\angle AFB$, [1]
- (iii) $\angle DAF$. [2]
- (b) Given $ABCD$ is a trapezium with $AD = 18$ cm, $BC = 8$ cm and $AB = DC$. A circle is inscribed in the trapezium as shown.



- (i) Show that the length of AB is 13 cm, stating your reason(s) clearly. [2]
- (ii) Calculate the radius of the circle. [2]

7ai)	$\angle ABD = 90^\circ$ (angle in semi-circle) $\angle ADB = 180^\circ - 90^\circ - 16^\circ$ $= 74^\circ$ (sum of angles in a triangle)	M1 A1
ii)	$\angle AFB = \angle ADB$ (Angles in the same segment) $= 74^\circ$	B1
iii)	$\angle DAF + 33^\circ = 74^\circ$ (ext angle = sum of opp int angle of triangle) $\angle DAF = 74^\circ - 33^\circ$ $= 41^\circ$ Alternatively, $\angle ADE = 180^\circ - 74^\circ$ (angle on a straight line) $\angle DAF + \angle ADE + 33^\circ = 180^\circ$ (sum of angle in triangle) $\angle DAF = 180^\circ - 33^\circ - 106^\circ$ $= 41^\circ$	M1 A1 M1 A1 Minus 1 mark for incorrect reasons, or self created reasons.
bi)	$AB = 4 + 9$ (Tangent from ext point) $= 13$	B1 for stating 4+9 B1 for quoting tangent from external point.
ii)	Let this distance be x cm. By Pythagoras Theorem, $x = \sqrt{169 - 25}$ $= 12$ Hence, the radius of the circle = 6 cm	M1 A1

- 8 (a) A piece solid cone is cut into a smaller piece of cone and a frustum as shown in the diagram.



Given that the height of the frustum is 8mm and the two circular base areas of 9 mm² and 25 mm² respectively.


- (i) Show that the height of the smaller cone is 12 mm.

[2]

(ii) Find the volume of the frustum. [3]

(iii) Find the curved surface area of the smaller cone. [3]

(b) In the figure, $ADCB$ is a major segment of a circle, centre O and radius 7 cm. $BD = 12$ cm. AC is perpendicular to the line BOD . Find the perimeter of the major segment. [4]



<p>8ai) Let x be the height of the smaller cone Using area of similar objects,</p> $\left(\frac{x}{x+8}\right)^2 = \frac{9}{25}$ $\frac{x}{x+8} = \frac{3}{5}$ $5x = 3x + 24$ $2x = 24$ $x = 12\text{mm}(\text{shown})$ <p>8aii) Volume of frustum = Volume of big cone - volume of small cone</p> $= \frac{1}{3}\pi R^2 H - \frac{1}{3}\pi r^2 h$ $= \frac{1}{3}[25 \times (8+12)] - \frac{1}{3}(9 \times 12)$ $= \frac{500}{3} - 36$ $= 130\frac{2}{3}\text{mm}^2 \text{ or } 131\text{mm}^2(3\text{sf})$ <p>8aiii) Curved surface area of small cone $=\pi r l$</p> <p>Since area of small circle, $\pi r^2 = 9$, $r = \sqrt{\frac{9}{\pi}} \approx 1.6926\text{mm}$</p> <p>Slant height of small cone $=\sqrt{1.6926^2 + 12^2} \approx 12.1187\text{mm}$</p> <p>Therefore curved surface area of small cone $=\pi(1.692)(12.1187)$</p> $= 64.441\text{mm}^2$ $= 64.4\text{mm}^2$	<p>M1</p> <p>A1</p> <p>Accept calc of volume using R and r</p> <p>M1 for big cone answer M1 for small cone answer</p> <p>A1</p> <p>M1</p> <p>M1</p> <p>A1</p>
<p>8b) $AD = \sqrt{7^2 - 5^2}$</p> $= \sqrt{24}\text{cm}$ $AC = 2\sqrt{24}$ $\approx 9.79796\text{cm}$ $\angle AOD = \cos^{-1} \frac{5}{7}$ $\approx 0.77519\text{rad or } 44.415^\circ$ <p>$Arc\ ABC = 7 \times 2(\pi - 0.77519)\text{cm}$ OR $x = 2\pi \times 7 \times \frac{271.17^\circ}{360^\circ}$</p> $\approx 33.1296\text{cm}$ $\approx 33.1296\text{cm}$ <p>$Perimeter = 9.79796 + 33.1296$</p> $\approx 42.927\text{cm}$ $= 42.9\text{cm}(3\text{sf})$	<p>M1</p> <p>M1</p> <p>M1</p> <p>M1</p> <p>A1</p>

- 9 Mr Tan is looking to purchase a new car to drive to and from work on weekdays and for leisure on weekends. He estimates the total distance travelled is about 1500 km per month. The average cost of petrol is \$2.20 per litre. To buy a new car, he must pay a down payment of 30% of the selling price of the car before he can take a car loan for the remaining amount from a bank. He has to pay back the loan by monthly instalment. A 5-year car loan simple interest rate offered by most banks is 2.28% per annum. Mr Tan shortlisted 3 cars with all the relevant cost as shown in the table.

	Car A	Car B	Car C
Selling Price	\$87 999	\$108 999	\$107 888
Fuel Consumption(km per litre)	17.2	14.9	17.8
Car Insurance per year	\$ 1 200	\$ 1500	\$ 1 500
Engine Capacity(in cubic cm)	1 598	1 499	1 197
Monthly Car Maintenance	\$200	\$200	\$200
Monthly Car Park charges	\$150	\$150	\$150

He also finds out that the annual road tax of the car is determined by the engine capacity of the car is as follows:

$$\text{Annual Road Tax} = [\$500 + 0.75(\text{Engine Capacity minus } 1000)] \times 0.782$$

From the information provided,

- (a) Calculate
- (i) the down payment to buy **car A**. [1]
 - (ii) the total **monthly** expenditure including monthly bank instalment and all the other monthly costs to own a car. [7]
- (b) An alternative to buying a car is to rent an electric car that is easily accessible from his house and workplace. Subscription per month is \$15 and it costs 33 cents per minute of use. Mr Tan estimates that the average daily travel time to and from work is about 1 hour and 20 minutes. On weekends, he needs to use the car for about 5 hours for leisure activities. Calculate his monthly expenditure to rent a car. [2]
- (c) Do you think Mr Tan should buy or rent a car? Justify your answer. [1]

<p>9ai) Car A down payment(30% of \$87,999) = \$26,399.70</p>	<p>B1</p>
<p>9a ii) For Car A Loan Amount = \$87,999 - \$26,399.70 = \$61,599.30 Loan Interest over 5 years = $61,599.30 \times \frac{2.28}{100} \times 5$ = \$7,022.32 Monthly Car Instalment = $\frac{61,599.3 + 7,022.32}{60}$ = \$1,143.69 Monthly Distance covered by car = 1500km Amount of petrol needed = $\frac{1500}{17.2}$ = 87.209litre (1) Monthly petrol consumption = $\\$2.20 \times 87.209$ = \$191.86 (2) Monthly car insurance = $\frac{1200}{12} = \\$100$ (3) Monthly road tax = $\frac{[500 + 0.75(1598 - 1000)] \times 0.782}{12}$ = \$61.81 (4) Monthly Maintenance cost = \$200 (5) Monthly Car Park charges = \$150 (6) Total monthly cost = $\\$1143.69 + 703.67$ = \$1847.36</p>	<p>M1 A1 M1 A1 B1 B1 B1</p>
<p>9b) Monthly cost of renting a car based on 20 workdays and 4 weekends = $\\$15 + 80 \text{ min} \times 20 \text{ working days} \times 0.33 + 5 \times 60 \text{ min} \times 4 \text{ weekends} \times 0.33$ = \$924 Accept answers from \$939 to \$1064.40 as some students may assume up to 23 working days and 4 weekends or 21 working days and 5 weekends.</p>	<p>M1 A1</p>
<p>9c) Acceptable responses such as a) Renting is better as there is no need to pay down payment and monthly instalment. b) Although it is more expensive to buy a car, it is very convenient. c) Any other reasonable justification.</p>	<p>B1 for any of the 4.</p>

	Breakdown of cost of owning a car	Car A			
9ai	Down payment	\$26,399.70			B1
9aii	Loan Interest	\$7,022.32			M1
	Monthly Instalment	\$1,143.69			A1
	Monthly Petrol needed in litres	87.209			M1
	Monthly Petrol Cost	\$191.86			A1
	Monthly Car Insurance	\$100			B1
	Monthly Road Tax	\$61.81			B1
	Monthly Maintenance/Servicing	\$200			
	Monthly Car Park Charges	\$150			
9aiii)	Total Monthly Cost	\$1847.36			B1
9b)	Monthly Cost Renting Electric car	Fr \$939 to \$1064.40			M1, A1
9c)	Acceptable responses. a) Renting is better as there is no need to pay down payment and monthly instalment. b) Although it is more expensive to buy a car, it is very convenient. c) Any other reasonable justification.				B1 for any of the 4

10(a) Team Alpha and Delta are competing in a best of 3 games badminton finals. Each game will only result in a win or a loss. The competition ends when either one wins 2 games out of 3.

The probability of Alpha team winning in any one game is $\frac{5}{8}$.

- (i) Draw a tree diagram to show all the possible outcomes for Alpha team. [2]
- (ii) Calculate the probability, expressing your answers in fraction, that Alpha team wins the completion. [2]


<p>10ai)</p>	<p>B1 for 2nd branch with proper label</p> <p>B1 for 3rd branch with proper label</p>
<p>10ii) $P(\text{Alpha team wins the match})$ $=P(\text{Alpha wins, Alpha wins})+P(\text{Alpha wins, Delta wins, Alpha wins})$ $+P(\text{Delta wins, Alpha wins, Alpha wins})$ $=\frac{5}{8} \times \frac{5}{8} + \frac{5}{8} \times \frac{3}{8} \times \frac{5}{8} + \frac{3}{8} \times \frac{5}{8} \times \frac{5}{8}$ $=\frac{175}{256}$</p>	<p>M1</p> <p>A1</p>

- 10 (b) The frequency table shows the weight in kg of 80 persons who join an exercise club.

Weight	$30 < x \leq 40$	$40 < x \leq 50$	$50 < x \leq 60$	$60 < x \leq 70$	$70 < x \leq 80$
Frequency	8	17	34	18	3

- (i) Find the mean weight. [1]
- (ii) Find the standard deviation. [1]
- (iii) After 6 months of exercising, the mean and standard deviation of these 80 persons are 50kg and 12.2 kg respectively. Give 2 comments on the effect of exercise. [2]

- 10 (c) The cumulative frequency graph below shows the end-of-year Mathematics examination marks of a group of 200 students.



From the graph, find the

- (i) number of students who scored 28 or less marks. [1]
- (ii) number of students who scored more than 76 marks. [1]
- (iii) upper quartile [1]

- (iv) minimum mark attained by the top 2.5% of the cohort. [1]
- (v) probability that 1 student scored 28 marks or less and the other student score more than 76 marks when 2 students are chosen at random. [2]

10bi) Mean = 53.875 kg or $\frac{431}{8}$ kg or $53\frac{7}{8}$ kg	B1
Standard deviation = $\sqrt{\frac{8 \times 35^2 + 17 \times 45^2 + 34 \times 55^2 + 18 \times 65^2 + 3 \times 75^2}{80} - \left(\frac{431}{8}\right)^2}$	
= 9.8734	
10bii) = 9.87 kg	B1
10biii) (1) The mean weight is lower. Jogging has helped to reduce weight.	B1
(2) Standard deviation is higher implies that weight loss after exercising is more spread out.(accept "not consistent")	B1
10ci) 20 students	
10cii) 200-185= 15 students	B1
10ciii) Upper quartile = 56 marks	B1
10civ) 90 marks	B1
	B1
10cv) Probability(1 stud ≤ 28 and 1 stud ≥ 76)	
= $2 \times \frac{20}{200} \times \frac{15}{199}$ or $\frac{20}{200} \times \frac{15}{199} + \frac{15}{200} \times \frac{20}{199}$	
= $\frac{3}{199}$	M1
	A1

11 The variables x and y are connected by the equation

$$y = \frac{5x}{4} + \frac{1}{x^2}.$$

The table below shows some values of x and the corresponding values of y , correct to 1 decimal place.

x	0.5	1	1.5	2	3	4	5
y	4.6	2.3	2.3	2.8	3.9	5.1	p

(a) Calculate the value of p .

Answer $p = \dots\dots\dots$ [1]

(b) Using a scale of 2 cm to represent 1 unit on each axis, draw a horizontal x -axis for $0 \leq x \leq 5$ and a vertical y -axis for $0 \leq y \leq 8$. On your axes, plot the points given in the table and join them with a smooth curve. [3]

(c) From the graph, find the value of x in the range $0 \leq x \leq 5$ for which $\frac{5x}{4} + \frac{1}{x^2} - 3 = 0$ [2]

(d) By drawing a tangent, find the gradient of the curve at the point $(1, 2.3)$. [2]

(e) (i) On the same axes, draw the graph of $y = \frac{1}{2}x + 2$. [2]

(ii) Write down the x -coordinates of the points where the two graphs intersect. [1]

(iii) Find the equation in the form $3x^3 + ax^2 + bx + c = 0$, which is satisfied by the values of x found in part (e)(ii). [1]

Qn	Solution	Marks	Remarks
11(a)	$p = \frac{5(5)}{4} + \frac{1}{(5)^2} = 6.29 \approx 6.3$	B1	

11(b)		G3	<p>G1 – correct scale for axes and labelling. G1 – all points correctly marked G1 – for smooth curve</p>
11(c)	$\frac{5x}{4} + \frac{1}{x^2} - 3 = 0$ $\frac{5x}{4} + \frac{1}{x^2} = 3$ $y = 3$ <p>From the graph, when $y = 3$, $x = 0.7$ or $x = 2.2$</p>	<p>G1 B1</p>	<p>G1 for drawing the line $y = 3$ Accept ± 0.2</p>
11(d)	<p>From the tangent at $(1, 2.3)$, the gradient is -0.75 (± 0.2)</p>	G1+B1	G1 for drawing tangent
11(e)	(i) Draw graph of $y = \frac{1}{2}x + 2$	G1+G1	G1 for correct graph G1 for labelling graph
	(ii) The x coordinates are 0.9 and 2.3	B1	Accept ± 0.2
	$\frac{5x}{4} + \frac{1}{x^2} = \frac{1}{2}x + 2$ <p>(iii) $5x^3 + 4 = 2x^3 + 8x^2$ $3x^3 - 8x^2 + 4 = 0$</p>	B1	