	Register No.	Class	
Name :			

ndemeer Secondary School Bendemeer Secondary Sch ndemeer Secondary School Bendemeer Secondary Sch BENDEMEER SECONDAR STORES CONDAR SCHOOL Bendemeer Secondary School Bendemee ndemeer Sec END Bendemeer Secondary School Bendemeer Seconda ndemeer ndemeer Bendemeer Secondary School Bendemeer Secondary Scho ndemeer School Bendemeer Secondary School Bendemeer Seco ndemeer ndemeer : Tarindary School Bindemeer Secondary School Bendemeer Secondary School Bend ndemeer S ndemeer S of Bendemeer Secondary School Bendemeer Secondar ndemeer Secondary School Bendemeer Secondary Sch ndemeer Secondary School Bendemeer Secondary Sch

DATE DURATION 08 October 2021 1 hour 15 mins

TOTAL

50 Marks

READ THESE INSTRUCTIONS FIRST

Write your name, class and register number on all the work you hand in. Write in dark blue or black pen on both sides of the paper. You may use a 2B pencil for any diagrams or graphs. Do not use staples, paper clips, highlighters, glue or correction fluid/tape. Calculators are allowed for this paper.

Answer all questions.

Write your answers in the spaces provided on the question paper.

All the diagrams in this paper are not drawn to scale.

If working is needed for any question, it must be shown with the answer.

Omission of essential working will result in loss of marks.


The use of an approved scientific calculator is expected, where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π .

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



This document consists of 13 printed pages including this cover page.

[Turn over

Answer all the questions.

1. (a) Which of the following numbers are irrational $1.\dot{3}, -1.5, \pi, \sqrt{2}, -4$

		r	4 7	
Answer : ((a)	[]		

(b) Arrange the numbers above in ascending order.

DANYAL

2. (a) Express 43 - % as a decimal.



(b) Given that $\frac{m}{4} = \frac{2n}{3}$, find the ratio m : n.

DAM

		1000 Fac 14			
3.	(a)	Expand and	simplify the	efollowing	expression
J.	(4)	L'Apana ana	J		- I

$$3c(2d-5)-5(c+3)$$

Answer:	(a)	[2	.]

(b) Factorise completely

$$\pi r^2 + 2\pi r h + \pi r l$$

4. (a) Write the algebraic expression for "The sum of x and y divided by 2 times of x". Give your expression in fraction form.

(b) Evaluate $\frac{\pi - 2x}{\sqrt[3]{5y^2}}$ when x = -5 and y = 4.

Express the following as a fraction in its simplest form. 5. (a)

$$2 + \frac{1}{4}(12x - 8)$$

Answer: (a) [2]

Solve the following equation, $\frac{5x}{3} - \frac{2x-3}{2} = -1$ (b)

$$\frac{5x}{3} - \frac{2x-3}{2} = -1$$

Each	of the term in	this sequ	uence is	found by adding the same number to the previous term	n.
	19,	<i>a</i> ,	33,	40,	
(a)	Find the valu	ue of a,			
				Answer: (a) $a =$	[1]
					[1]
(b)	Find an exp	ression,	in terms	s of n , for the n th term of the sequence,	
				Answer : (b)	[1]
()	D	C117:-		*	
(c)	Justify your	answer	with w		[2]
	Answer (c):			DANYAL	

6.

7. (a) $\sqrt{5\frac{1}{16}}$ can be expressed as the rational number $\frac{p}{q}$ where p and q are positive integers. Find the values of p and q.



(b) The number of people in a theatre is given as 500, correct to the nearest hundred. Write down the minimum number of people that could be in the theatre at this time.

8. The ratio of the amount of money that Jenny has to that of Lucy is 1:2 and the ratio of the amount of money that Lucy has to that of Ivy is 5:3.

Given that the total sum of money of the three ladies is \$63x, how much money does Ivy have in terms of x?





9. (a) (i) Express 168 as the pr	roduct of prime factors.
----------------------------------	--------------------------

Answer: (a) (i)		[1]
-----------------	--	----	---

(ii) Find the smallest integer, k, such that 168k is a perfect square.

Answer: (a) (ii)
$$k =$$
 [1]

(b) Given that $324 = 2^2 \times 3^4$, find the largest integer which is a factor of 168 and 324.






Answer: (b)[1]

10.	A clos	ed cylinder with base radius	5 cm has a volume of 300π cm	3.
	Find			
	(a)	the height of the cylinder,		
			A	[1]
			Answer : (a)	cm. [1]
	(b)	the total surface area of the	cylinder.	
			e cylinder.	
		A	nswer: (b)	cm ² [2]

11. In the figure below, ED // BC, DC // FABG, $\angle EDC = 116^{\circ}$ and $\angle EAF = 44^{\circ}$.



Stating reasons clearly, calculate

(a) $\angle x$,



DANYAL


(b) $\angle y$.

DANYAL

Answer: (b)[1]

12. The diagram shows a regular pentagon, *ABCDE* and three of the sides, *GE*, *ED* and *DF*, of a second regular polygon.

Given that angle CDF = 96° ,



Answer:	(a)	(i)	77		٠.			٠.		٠.																				0	[2	2	
---------	-----	-----	----	--	----	--	--	----	--	----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----	---	--

(ii) $\angle EDF$,

(i) $\angle CDE$,

(a) Find

(b) Hence, find the number of sides in the second regular polygon.

An airplane leaves Country A at 09 00 local time. 13. (a) The distance between Country A to Country B is 5407.5 km. The average speed of the airplane is 721 km/h. The airplane arrives in Country B at 15 00 local time.

> Find the time difference between Country A and Country B, stating whether the time in Country B is ahead or behind the time in Country A. Show your working clearly.


Answer: (a)		[3	3
-------------	--	----	---

A car travels at 72 km/h. (b) Convert the speed to metres per second.



Answer: (b)[2]

14. The graph below shows two straight lines L_1 and L_2 .



(a) Write down the equation of L₂.

Answer: (a))	 1

(b) Calculate the area enclosed by the line L_1 , the line L_2 and the x-axis

Answer: (b)square units [2]

(c)	(i) If the gradient for the line L ₁ increases, describe how the new straight line differs from the original straight line.
	Answer : (i)
	[1]
	(ii) Jane wants to draw a new line with the same gradient as line L_1 , She claimed that the new line and L_1 will meet at the origin. Explain whether you agree or disagree with her.
	Answer: (ii)
	DANYAL

DANYAL

DANYAL

DANYAL

	Register No.	Class
Name :		

ndemeer Secondary School Bendemeer Secondary Sch ndemeer Secondary School Bendemeer Secondary Sch Bendemer Secondary School Bendemer Secondary School Bendemeer Secondary Sch ndemeer Sec ndemeer S Bendemeer Secondary School Bendemeer Secondary Scho ndemeer ! emeer Secondary School Bendemeer Secondary Schoo ndemeer : ool Bendemeer Secondary School Bendemeer Secondary Scho ndemeer See Config N 10 Au Pan Ar Scoulary Set D 12 20 Secondary School Bendemeer S ndemeer ndemeer S ndary School Bendemeer Secondary School Bendemee ndemeer S ndemeer S of Bendemeer Secondary School Bendemeer Secondar ndemeer Secondary School Bendemeer Secondary Sch ndemeer Secondary School Bendemeer Secondary Sch

DATE DURATION 11 October 2021 1 hour 15 minutes

TOTAL

50 Marks

READ THESE INSTRUCTIONS FIRST

Write your name, class and register number on all the work you hand in. Write in dark blue or black pen on both sides of the paper. You may use a 2B pencil for any diagrams or graphs. Do not use staples, paper clips, highlighters, glue or correction fluid/tape.

Answer all questions.

Write your answers in the spaces provided on the question paper.

All the diagrams in this paper are **not** drawn to scale.

If working is needed for any question, it must be shown with the answer.

Omission of essential working will result in loss of marks.


The use of an approved scientific calculator is expected, where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π .

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



This document consists of 11 printed pages including this cover page.

[Turn over

Answer all the questions.

1	(0)	Solve the following equation
1.	(a)	Solve the following equation

$$x - [3 - 2(5x - 0.5)] = 18$$

DANYAL

Answer: (a) [2]

(b) Simplify
$$\frac{8p+16}{4} \times \frac{1}{2}$$

DANYAL

DANTON

Answer: (b)[2]

(c) Factorise 3a(3+b) + 5(ab+a)

Answer: (c)[2]

2.	(a)	Mr Koh borrows \$30 000 from a bank on 1st January 2021 to renovate his house
		The bank charges simple interest at a rate of 2.6% per annum.
		Calculate the amount of interest he has to pay at the end of December 2025.

Answer: (a)	\$. [2]
-------------	----	--	--	--	--	--	-------

(b) Mr Koh decides to travel from Singapore to Taiwan for a holiday. The following shows the exchange rate in Singapore and Taiwan:

Exchange rate in Singapore	Exchange rate in Taiwan
1 Singapore Dollar = 20.516 Taiwan dollars	100 Taiwan Dollars = 4.874 Singapore dollars


Mr Koh wants to exchange 1000 Singapore dollars to Taiwan dollars. Determine how much more Taiwan dollars he will receive by changing his money in Taiwan. Give your answer to the nearest cents.





Answer: (b) Taiwan dollars [3]

3. In the diagram, ABCD is a parallelogram with $\angle DAB = 72^{\circ}$. DCE, HCF and BCG are straight lines. $\angle GCF = 22^{\circ}$, $\angle DCH = y^{\circ}$ and $\angle AHC = z^{\circ}$



Find, giving reasons for your workings,

(i) y,




Answer: (i)° [2]

(ii) z.

4. The figure below shows a parallelogram *PQRS* and two identical semi-circles with radius 2 cm.

Given that QU is perpendicular to PS, QU = 8x cm, PQ = (4x - 2) cm and PS = 6 cm.



(i) Find and simplify the area of the parallelogram PQRS in terms of x,

(ii) Calculate the total area of the two semi-circles and leave your answer in terms of π ,



(iii) Hence, find the area of the shaded region in terms of x and π .

5. The table below shows some values of x and the corresponding values of y.

x	-4	0	4
у	14	6	-2

(a) Using a scale of 2 cm to 1 unit, draw a horizontal x-axis from -4 to 4 and a scale of 1 cm to 1 unit, draw a vertical y-axis from -2 to 14 on the grid on page 7.

On the same axes, plot the points given in the above table and join them with a straight line.

(b) Use your graph in (a) to find (i) the gradient of the line,



(ii) y-intercept,


(iii) the equation of the line in the form of y = mx + c.

- (c) The points (-1.5, p) and (q, 1) lie on the graph in (a). From your graph, find the value of
 - (i) **p**

Answer: (c)(i)
$$p =$$
 [1]

(ii) q.

Answer: (c)(ii)
$$q =$$
.....[1]




marking the same pile of books individually. If they mark the same pile of books together, the e	stimated time taken is x hours.
(a) (i) What fraction of the pile of books can Mrs	Yap finish marking in 1 hour?
	Answer: (a)(i)[1]
(ii) What fraction of the pile of books can Mrs	Chin finish marking in 1 hour?
	Answer: (a)(ii)[1]
	an both of them finish marking in 1 hour if they
	Answer: (a)(iii)
(b) Hence, form an equation in terms of x and so	lve for the unknown.

6. Mrs Yap and Mrs Chin estimate that they will take 5 hours and 6 hours respectively to finish

7. The following figure shows the cross section view of a swimming pool.

The swimming pool is 100 m long and 40 m wide. The bottom of the pool slopes uniformly throughout the length of the pool. It is 1.75 m deep at the shallow end and 3 m deep at the deep end. The depth of water at the shallow end is 1 m.



(a) Find the volume of water in the pool to the nearest cubic metre.

(b) How much more water must be poured into the pool to fill it completely?

(c) It takes 30 seconds to drain 10 m³ of water. Find the total time, in hours and minutes, needed to drain a fully filled pool.

Answer: (c) h mins [3]

Price	ingapore. es of durians were at \$30 per kil e 2021.	ogram in May 2021, but it dropped to \$24 per kilogram in
(a)		in price per kilogram from May to June 2021.
	MAL	Answer: (a) % [2
(b)	Durian vendor Mr Lim impor	ted 1000 kg of durians from Malaysia each day.
		durians were sold each day, calculate
	(i) the difference in earning	ngs per day after the drop in prices,
		Answer: (b)(i) \$ [
	(ii) the cost price per kilo \$3880 daily after the	gram of durians given that Mr Lim still made a profit of drop in prices.

Answer: (b)(ii) \$ [2]

(c) In July 2021, due to the increase in the community cases of COVID-19 in Singapore, Heightened Alert was implemented to tighten the community measures and the daily sales of Mr Lim's stall was affected.

In order to help to sell all his 1000 kg of the imported durians, Mr Lim decided to carry out the following promotion:



DANTION

Determine if Mr Lim will make a loss or a profit daily if he sold 1000 kg of durians with all his customers maximising the deal and calculate the daily profit or loss with this promotion.

DANYAL

DANYAL

DANYAL

Answer: (c) Mr Lim will make a daily loss / profit (Circle if there is a loss or profit)

of \$[4]

End of Paper

2021 1E Paper 1 Marking Scheme

1(a)	$\pi,\sqrt{2}$	A1
1(b)	$-4, -1.5, 1.3, \sqrt{2}, \pi$	A1
2(a)	0.433 (3 sf)	A1
2b)	$\frac{m}{4} = \frac{2n}{3}$	
	$\frac{m}{n} = \frac{8}{3}$	M1
	m: n = 8:3	A1
3(a)	3c(2d-5)-5(c+3) = $6cd-15c-5c-15= 6cd-20c-15$	M1 A1
3(b)	$\pi r^2 + 2\pi r h + \pi r l$ $= (\pi r)(r + 2h + l)$	A1
4(a)	$\frac{x+y}{2x}$	A1
4(b)	when $x = -5$ and $y = 4$, $\frac{\pi - 2x}{\sqrt[3]{5y^2}} = \frac{\pi - 2(-5)}{\sqrt[3]{5(4)^2}}$ = 3.05	M1 A1
5(a)	$2 + \frac{1}{4}(12x - 8)$ $= 2 + 3x - 2$ $= 3x$	M1 A1
5(b)	$\frac{5x}{3} - \frac{2x - 3}{2} = -1$	1014
	$\frac{10x}{6} - \frac{6x - 9}{6} = -1$	M1
	$\frac{10x - 6x + 9}{6} = -1$	M1
	$4x + 9 = -6$ $x = \frac{-15}{4}$	
	$x = -3.75 \text{ or } -3\frac{3}{4}$	A1

6(a)	26	A1
6(b)	7n + 12	A1
6(c)	7n + 12 = 117	
0(0)	$n = (117 - 12) \div 7$	M1
	= 15	
	Since <i>n</i> is an integer, it is a term in the sequence	A1
7(a)	p = 9, q = 4	A1
7(b)	450	A1
8	Jenny : Lucy: Ivy	
	1 : 2	
	<u> </u>	
	5: 10:6	M1
	21 units $\$63x$ 6 units $\$\frac{6}{x} \times 63x = \$18x$	
	21 units \$63x	S.
	TION 6	M1
	6 units $\$ \frac{6}{21} \times 63x = \$18x$	A1
	Ivy has \$18x	
	Ivy has \$101	
0()()	160 23 - 2 - 7	A1
9(a)(i)	$168 = 2^3 \times 3 \times 7$	A1
9(a)(ii)	k = 42	A1
9(b)	HCF = 12	A1
10 (a)	Height $=\frac{300\pi}{\pi(5^2)} = 12 \text{ cm}$	711
	DB1 MIO.	
10(b)	Total surface area = $2\pi(5)(12) + 2\pi(5^2)$	M1
	$= 534 \text{ cm}^2 (3\text{sf})$	A1
11(a)		
	D /	N
	E	NOW
		U.O.
	E (-)	
	DUC*	
	$F \xrightarrow{A} \xrightarrow{B} G$	
		M1
	$\angle AEM = \angle EAF = 44^{\circ}(Alternate\ Angles, DC\ parallel\ to\ AG)$	
	$\angle DEM = 180^{\circ} - 116^{\circ}$ (Interior Angle, $DC // EM$)	M1
	= 64°	2400000000
	$\angle x = 64^{\circ} + 44^{\circ}$	A1
	= 108°	
11(b)	$\angle y = 64^{\circ}$ (Corresponding Angles, ED // BC)	A1

12(a)(i)	$\angle CDE = \frac{(5-2) \times 180^{\circ}}{5}$	M1
(5) (20 (5) (5) (5)	= 108°	A1
12(a)(ii)	$\angle EDF = 360^{\circ} - 108^{\circ} - 96^{\circ}$	
	= 156°	A1
12(b)	Ext angle of the second polygon = 24°	M1
	Number of sides = $\frac{360}{24}$ = 15	A1
13(a)	Time taken = $\frac{5407.5}{721}$ + 7.5 hours	M1
	= 7.5 hrs Arrival time at country A 09 00 = 16 30	M1
	Arrival time at country B $= 1500$	A1
	Country B is behind by 1.5 hours	
13(b)	$72 \mathrm{km/h} = \frac{72 \mathrm{km}}{11}$	
D	CP. Ih	N/1
ED	$=\frac{72\times1000\mathrm{m}}{}$	M1
	$1\times3600\mathrm{s}$	A1
	= 20 m/s	AI
14(a)	x = 3	A1
14(b)	$Area = \frac{1}{2} \times 5 \times 7$	M1
	= 17.5 units	A1
14(c)(i)	The new straight line will be steeper than the original line.	A1
14(c)(ii)	Disagree. Because if the two line have the same gradient, then the two lines are parallel to each other so they will not meet each other.	A1
	Or:	
	Disagree. Because the original line L_1 does not pass through the origin so it will never meet the new line at the origin.	ζ.

2021 1E Paper 2 Marking Scheme

1(a)	x - [3 - 2(5x - 0.5)] = 18	
1(a)	x - [3 - 10x + 1] = 18	M1
	x - [4 - 10x] = 18	
	x - 4 + 10x = 18	
	11x = 18 + 4	
	x = 2	A1
1(1)		111
1(b)	$\frac{8p+16}{4} \times \frac{1}{2}$	9 7
	4 2	
	$=\frac{8p+16)}{8}$	M1
	8	1411
	= p + 2	A1
	AM	20
1(c)	3a(3+b) + 5(ab+a)	
	= 9a + 3ab + 5ab + 5a	M1
1	=14a+8ab	
	=(2a)(7+4b)	A1
2(a)	Total amount of interest paid = $\left[\frac{2.6}{100} \times 30\ 000\right] \times 5$	M1
	= \$3900	A1
	= \$3900	
2(b)	In Singapore	
	1 Singapore Dollar 20.516 Taiwan Dollars	
	1000 Singapore Dollars 1000 x 20.516	
	= 20516 Taiwan Dollars	M1
	In Taiwan,	
		JAL
	4.874 Singapore Dollars 100 Taiwan Dollars	300
	1000 Singapore Dollars $\frac{1000}{4.874} \times 100$	MI
1	= 20517.03 Taiwan Dollars	M1
	puch	
	Extra Taiwan Dollars he receives in Taiwan = 20517.03 – 20516	A1

3(i)	$\angle HCB = 22^{\circ} \text{ (vert. opp. } \angle \text{s)}$		
	$\angle DCB = 72^{\circ}$ (opp. $\angle s$ of //gram) or (Property of //gram)		
	$y = 72^{\circ} - 22^{\circ}$	Reasoning: M1	
	= 50°	Answer: A1	
3(ii)	$z = 180 - 50$ (int. \angle s, DE//AB)	Reasoning: M1	
	= 130°	Answer: A1	
4(i)	Area of Parallelogram = $(6)(8x)$ = $48x \text{ cm}^2$	4	M1 A1
4(ii)	Area of 2 semi-circles = $\pi(2)^2 = 4\pi \text{ cm}^2$	DANYAD	A1
4(iii)	Area of shaded region = $48x - 4\pi \text{ cm}^2$	EDO	A1
5(a)	See attached graph Scale for each axis: M2 Points and Join up the points to get the straight line:	M1	
5(b)(i)	Gradient = -2		A1
5(b)(ii)	y-intercept = 6		A1
5(b)(iii)	y = -2x + 6		A1
5(c)(i)	p=9		A1
5(c)(ii)	q = 2.5		A1
6(ai)	<u>1</u> <u>5</u>		A1
6(aii)	$\frac{1}{6}$	M.	A1
6(aiii)	$\frac{1}{x}$ or $\frac{11}{30}$	DECAT	A1
6(b)	$\frac{1}{5} + \frac{1}{6} = \frac{1}{x}$ $\frac{6}{30} + \frac{5}{30} = \frac{1}{x}$ $\frac{11}{30} = \frac{1}{x}$ $x = 2 \frac{8}{11}$		M1
	$x = 2\frac{8}{11} \text{ hour}$		A1

7(a)	Height = $1.75 - 1 = 0.75$ m	M1
	Vol of water = $\frac{1}{2} \leftarrow (1+3-0.75) \leftarrow 100 \leftarrow 10$	Ml
	$= 162.5 \times 40$ = 6500 m ³	A1
7(b)	Volume of water to be poured = $100 \times 40 \times 0.75$	M1
	$= 4000 \times 0.75$ = 3000 m ³	A1
7(c)	Total volume of fully filled pool = 3000 + 6500 = 9500 m ³	M1
	Time taken to drain fully filled pool = $\frac{9500}{10} \leftarrow 30$ = 28500 seconds	M1
D	= 28500 seconds = 7 h 55 min	A1

DANYAL

DANYAL

DANYAL

8(a)	Percentage fall in price $=\frac{30-24}{30} \times 100\%$	Ml
	= 20%	A1
8(b)(i)	Difference in price per $kg = $30 - $24 = 6	M1
	Difference in earning = 1000 x \$6	
	= \$6000	A1
(b)(ii)	Profit per kg of durians = $3880 \div 1000 = 3.88	M1
	Cost Price per kg = Selling price per kg - profit per kg	
	= \$ 24 - \$ 3.88	
	= \$20.12	A1
	AND DAY	
7(c)	6 kg $$5 \times 24 = 120 Only 166 customers (166 x 6 kg = 996kg) can get 6kg by maximizing the deal. There will be another 4kg that do not enjoy the promotion. So, 996kg (996/6) x $120 = 19920	M1
	The other 4 kg without promotion = $$24 \times 4 = 96 Total selling price with promotion = $$19920 + $96 = 20016	M1
	Total cost = $1000 \times 20.12 = 20120	M1
	Total daily loss = $20016 - 20120 = 104	A1
	Also accept:	
	Total Selling Price of 5 kg of durians = 5 x 24 = \$120 A customer will get 6 kg of durians for \$120 Selling price per kg with the promotion = 120 ÷ 6	M1
	A customer will get 6 kg of durians for \$120	MON
0	Selling price per kg with the promotion = $120 \div 6$	
V	= \$20	M1
	Cost price per $kg = 20.12	
	So the loss per $kg = 20.12 - 20$	
	= \$0.12	M1
	Total daily loss = $1000 \times 0.12 = 120$	
	He will make a daily loss of \$120	A1

Also accept: 6 kg \$5 x 24 = \$120	M1
1000kg (1000/6) x 120 = \$20000 Total selling price with promotion = \$20000	M1
Total cost = $1000 \times 20.12 = 20120	M1
Total daily loss = $20120 - 20000 = 120	A1

DANYAL

DANYAL

DANYAL

DANYAL

DANYAL